



FEB 2020

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING TINTING FORMULATIONS USING DARK TINT BASE ONLY

MATCHING: UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS

SYSTEM: **GENNEX** USING 32 INCREMENTS PER FLUID OUNCE

EXPLANATION OF NOTATION: The amount of colorant to be added is listed in two columns under the container size. The first column under OZ. lists the number(s) of full fluid ounces of colorant to add. If a zero appears in this column, no full fluid ounces are added, only fractions of a fluid ounce. The second column under the heading 32, lists the number(s) of fractions, 32nds, of a fluid ounce to add. If a zero appears in this column, no fractions are added, only full fluid ounces. If you have any questions on these formulas please contact UGL at 1- 800-845-5227 before starting to tint.

IMPORTANT: Due to the differences between the pigment used in the ready- mixed colors and those used in tinting systems, minor variations are possible. For this reason, store-tinted colors should NOT be used to complete a job started with ready-mixed colors or vice versa.

UGL can only control colors of their own manufacture. Therefore, we CANNOT guarantee that the formulas as indicated will be exact matches. Colors as listed represent our matches to color chips. It is advisable to PRE-DETERMINE the formulas, as being used, will provide the proper color match. UGL cannot assume any responsibility for any changes in shade that may occur.

COLORANTS

- B1 – Bright Blue
- G1 – Phthalo Green
- M1 – Magenta
- O1 – Orange
- R2 – Red
- R3 – Red Oxide
- S1 – Black
- S2 – Gray
- W1 – White
- Y2 – Yellow
- Y3 – Yellow Oxide



570-344-1202 • 1-800-845-5227 • Fax 570-969-7634 • www.UGL.com

CORPORATE OFFICE 1396 Jefferson Avenue, Dunmore, PA 18509 Mail to: P.O. Box 70, Scranton, PA 18501-0070

PLANT LOCATIONS Jacksonville, IL • Jackson, MS

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING DARK TINT BASE ONLY – GENNEX

BEECHWOOD GRAY

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			R3 – Red Oxide	0	5	R3 – Red Oxide	0	17 ½
			S1 – Black	1	8	S1 – Black	4	12
			W1 – White	4	30	W1 – White	17	9
			Y3 – Yellow Oxide	1	16	Y3 – Yellow Oxide	5	8

BEIGE

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			R3 – Red Oxide	0	6 ½	R3 – Red Oxide	0	22 ¾
			S2 – Gray	4	29 ½	S2 – Gray	17	7 ¼
			W1 – White	5	28	W1 – White	20	18
			Y3 – Yellow Oxide	1	22	Y3 – Yellow Oxide	5	29

BLACK CANYON

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			G1 – Phthalo Green	0	8	G1 – Phthalo Green	0	28
			S1 – Black	11	4	S1 – Black	38	30

BUTTERNUT

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			R3 – Red Oxide	1	0	R3 – Red Oxide	3	16
			S1 – Black	1	9	S1 – Black	4	15 ½
			W1 – White	2	15	W1 – White	8	20 ½
			Y3 – Yellow Oxide	5	16	Y3 – Yellow Oxide	19	8

CALIFORNIA RUSTIC

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			R3 – Red Oxide	5	1	R3 – Red Oxide	17	19 ½
			S1 – Black	0	24	S1 – Black	2	20
			W1 – White	0	8	W1 – White	0	28
			Y3 – Yellow Oxide	4	29 ½	Y3 – Yellow Oxide	17	7 ¼

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING DARK TINT BASE ONLY – GENNEX

CAPE COD GRAY

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			R3 – Red Oxide	0	1	R3 – Red Oxide	0	3 ½
			S1 – Black	0	21	S1 – Black	2	9 ½
			W1 – White	6	14	W1 – White	22	17
			Y3 – Yellow Oxide	0	5	Y3 – Yellow Oxide	0	17 ½

CEDARWOOD

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			R3 – Red Oxide	0	12 ½	R3 – Red Oxide	1	11 ¾
			S2 – Gray	5	8	S2 – Gray	18	12
			W1 – White	2	9	W1 – White	7	31 ½
			Y3 – Yellow Oxide	2	24	Y3 – Yellow Oxide	9	20

CHOCOLATE

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			R3 – Red Oxide	2	3	R3 – Red Oxide	7	10 ½
			S1 – Black	2	29	S1 – Black	10	5 ½
			W1 – White	0	20	W1 – White	2	6
			Y3 – Yellow Oxide	5	22	Y3 – Yellow Oxide	19	29

COLONIAL YELLOW

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			R3 – Red Oxide	0	1 ½	R3 – Red Oxide	0	5 ¼
			S1 – Black	0	5	S1 – Black	0	17 ½
			W1 – White	2	8	W1 – White	7	28
			Y3 – Yellow Oxide	3	19 ½	Y3 – Yellow Oxide	12	20 ¼

DEEP CHARCOAL

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			S1 – Black	2	4	S1 – Black	7	14
			S2 – Gray	2	24	S2 – Gray	9	20
			W1 – White	1	8	W1 – White	4	12
			Y3 – Yellow Oxide	0	2	Y3 – Yellow Oxide	0	7

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING DARK TINT BASE ONLY – GENNEX

DEEP DESERT SAND

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			R3 – Red Oxide	0	11	R3 – Red Oxide	1	6 ½
			S1 – Black	1	0	S1 – Black	3	16
			W1 – White	7	16	W1 – White	26	8
			Y3 – Yellow Oxide	1	27	Y3 – Yellow Oxide	6	14 ½

FAWN

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			R3 – Red Oxide	0	15	R3 – Red Oxide	1	20 ½
			S1 – Black	0	27	S1 – Black	2	30 ½
			W1 – White	5	4	W1 – White	17	30
			Y3 – Yellow Oxide	3	5	Y3 – Yellow Oxide	11	1 ½

GEORGETOWN GRAY

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			G1 – Phthalo Green	0	19	G1 – Phthalo Green	2	2 ½
			S1 – Black	1	20	S1 – Black	5	22
			W1 – White	5	8	W1 – White	18	12
			Y3 – Yellow Oxide	0	3	Y3 – Yellow Oxide	0	10 ½

HUNTER GREEN

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			G1 – Phthalo Green	5	28	G1 – Phthalo Green	20	18
			S1 – Black	1	30	S1 – Black	6	25
			W1 – White	0	8	W1 – White	0	28
			Y3 – Yellow Oxide	4	24	Y3 – Yellow Oxide	16	20

MAHOGANY

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			M1 – Magenta	0	6	M1 – Magenta	0	21
			R3 – Red Oxide	0	26	R3 – Red Oxide	2	27
			S1 – Black	2	19	S1 – Black	9	2 ½
			W1 – White	0	3	W1 – White	0	10 ½

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING DARK TINT BASE ONLY – GENNEX

MANOR BROWN

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			R3 – Red Oxide	0	16	R3 – Red Oxide	1	24
			S1 – Black	2	14	S1 – Black	8	17
			W1 – White	0	13	W1 – White	1	13 ½
			Y3 – Yellow Oxide	1	9	Y3 – Yellow Oxide	4	15 ½

NAVAJO WHITE

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			R3 – Red Oxide	0	1	R3 – Red Oxide	0	3 ½
			S2 – Gray	2	6 ½	S2 – Gray	7	22 ¾
			W1 – White	7	29	W1 – White	27	21 ½
			Y3 – Yellow Oxide	0	14	Y3 – Yellow Oxide	1	17

NEW PILGRIM RED

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			M1 – Magenta	3	4	M1 – Magenta	10	30
			R3 – Red Oxide	2	23	R3 – Red Oxide	9	16 ½
			S1 – Black	2	12 ½	S1 – Black	8	11 ¾

PARCHMENT

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			R3 – Red Oxide	0	½	R3 – Red Oxide	0	1 ¾
			S2 – Gray	0	11 ½	S2 – Gray	1	8 ¾
			W1 – White	9	23	W1 – White	34	½
			Y3 – Yellow Oxide	0	27 ½	Y3 – Yellow Oxide	3	¼

PILGRIM BLUE

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			B1 – Bright Blue	1	30 ½	B1 – Bright Blue	6	26 ¾
			R3 – Red Oxide	0	8 ½	R3 – Red Oxide	0	29 ¾
			S1 – Black	1	2 ½	S1 – Black	3	24 ¾
			W1 – White	9	2	W1 – White	31	23

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING DARK TINT BASE ONLY – GENNEX

PLATINUM

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			M1 – Magenta	0	3	M1 – Magenta	0	10 ½
			S1 – Black	0	8	S1 – Black	0	28
			W1 – White	8	26	W1 – White	30	27
			Y3 – Yellow Oxide	0	24	Y3 – Yellow Oxide	2	20

PRAIRE GOLD

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			S2 – Gray	1	12	S2 – Gray	4	26
			W1 – White	6	14	W1 – White	22	17
			Y2 – Yellow	0	11	Y2 – Yellow	1	6 ½
			Y3 – Yellow Oxide	2	3	Y3 – Yellow Oxide	7	10 ½

SABLE

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			R3 – Red Oxide	3	4	R3 – Red Oxide	10	30
			S1 – Black	1	30	S1 – Black	6	25
			Y3 – Yellow Oxide	3	24	Y3 – Yellow Oxide	13	4

SAGE

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			G1 – Phthalo Green	0	4	G1 – Phthalo Green	0	14
			S1 – Black	0	22	S1 – Black	2	13
			W1 – White	4	28	W1 – White	17	2
			Y3 – Yellow Oxide	1	4	Y3 – Yellow Oxide	3	30

SALEM TAN

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			R3 – Red Oxide	0	2	R3 – Red Oxide	0	7
			S2 – Gray	3	6	S2 – Gray	11	5
			W1 – White	6	24	W1 – White	23	20
			Y3 – Yellow Oxide	1	12	Y3 – Yellow Oxide	4	26

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING DARK TINT BASE ONLY – GENNEX

SANDPIPER

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			R3 – Red Oxide	0	1 ½	R3 – Red Oxide	0	5 ¼
			S1 – Black	0	11	S1 – Black	1	6 ½
			W1 – White	5	7	W1 – White	18	8 ½
			Y3 – Yellow Oxide	1	2	Y3 – Yellow Oxide	3	23

SIERRA REDWOOD

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			M1 – Magenta	1	3	M1 – Magenta	3	26 ½
			R3 – Red Oxide	4	11	R3 – Red Oxide	15	6 ½
			S1 – Black	0	31	S1 – Black	3	12 ½
			W1 – White	0	20	W1 – White	2	6

STONEHEDGE

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			S1 – Black	0	26	S1 – Black	2	27
			S2 – Gray	1	14	S2 – Gray	5	1
			W1 – White	7	0	W1 – White	24	16
			Y3 – Yellow Oxide	0	3	Y3 – Yellow Oxide	0	10 ½

WINTER WHITE

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			R2 – Red	0	½	R2 – Red	0	1 ¾
			S2 – Gray	0	6 ½	S2 – Gray	0	22 ¾
			W1 – White	10	12	W1 – White	36	10
			Y3 – Yellow Oxide	0	4	Y3 – Yellow Oxide	0	14

WHITE

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	32s	Colorant	OZS.	32s	Colorant	OZS.	32s
			S2 – Gray	0	½	S2 – Gray	0	1 ¾
			W1 – White	10	4	W1 – White	35	14

**UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS
USING DARK TINT BASE ONLY – GENNEX**