

MARCH 2016

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING TINTING  
FORMULATIONS USING DARK TINT BASE ONLY

MATCHING: UGL NUDECK WOOD AND CONCRETE RESTORATIVE  
COATING COLORS

SYSTEM: **GLIDDEN** USING 64 INCREMENTS PER FLUID OUNCE

EXPLANATION OF NOTATION: The amount of colorant to be added is listed in two columns under the container size. The first column under OZ. lists the number(s) of full fluid ounces of colorant to add. If a zero appears in this column, no full fluid ounces are added, only fractions of a fluid ounce. The second column under the heading 64, lists the number(s) of fractions, 64ths, of a fluid ounce to add. If a zero appears in this column, no fractions are added, only full fluid ounces. If you have any questions on these formulas please contact UGL at 1-800-845-5227 before starting to tint.

IMPORTANT: Due to the differences between the pigment used in the ready-mixed colors and those used in tinting systems, minor variations are possible. For this reason, store-tinted colors should NOT be used to complete a job started with ready-mixed colors or vice versa.

UGL can only control colors of their own manufacture. Therefore, we CANNOT guarantee that the formulas as indicated will be exact matches. Colors as listed represent our matches to color chips. It is advisable to PRE-DETERMINE the formulas, as being used, will provide the proper color match. UGL cannot assume any responsibility for any changes in shade that may occur.

COLORANTS

BLK – Black  
FFR – Fast Fast Red  
GRN – Phthalo Green  
LFY – Lemon Yellow  
MAG – Magenta  
OXR – Red Oxide  
TBL – Phthalo Blue  
WHT – White  
YOX – Yellow Oxide

# UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING DARK TINT BASE ONLY – GLIDDEN

## BEECHWOOD GRAY

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	1	28	BLK – Black	5	2
			OXR – Red Oxide	0	10	OXR – Red Oxide	0	35
			WHT – White	6	44	WHT – White	23	26
			YOX – Yellow Oxide	0	54	YOX – Yellow Oxide	2	61

## BEIGE

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	0	15	BLK – Black	0	52 ½
			OXR – Red Oxide	0	11 ½	OXR – Red Oxide	0	40 ¼
			WHT – White	5	56	WHT – White	20	36
			YOX – Yellow Oxide	0	44	YOX – Yellow Oxide	2	26

## BLACK CANYON

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	11	48	BLK – Black	41	8
			GRN – Green	0	12	GRN – Green	0	42

## BUTTERNUT

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	1	27	BLK – Black	4	62 ½
			OXR – Red Oxide	1	1	OXR – Red Oxide	3	35 ½
			WHT – White	3	18	WHT – White	11	31
			YOX – Yellow Oxide	3	14	YOX – Yellow Oxide	11	17

## CALIFORNIA RUSTIC

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	0	56	BLK – Black	3	4
			OXR – Red Oxide	6	40	OXR – Red Oxide	23	12
			YOX – Yellow Oxide	5	36	YOX – Yellow Oxide	19	30

## UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING DARK TINT BASE ONLY – GLIDDEN

### CAPE COD GRAY

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	0	34	BLK – Black	1	55
			OXR – Red Oxide	0	1	OXR – Red Oxide	0	3 ½
			WHT – White	6	40	WHT – White	23	12
			YOX – Yellow Oxide	0	4	YOX – Yellow Oxide	0	14

### CEDARWOOD

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	0	20	BLK – Black	1	6
			OXR – Red Oxide	0	30	OXR – Red Oxide	1	41
			WHT – White	3	28	WHT – White	12	2
			YOX – Yellow Oxide	1	44	YOX – Yellow Oxide	5	58

### CHOCOLATE

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	4	20	BLK – Black	15	6
			OXR – Red Oxide	2	56	OXR – Red Oxide	10	4
			WHT – White	0	3	WHT – White	0	10 ½
			YOX – Yellow Oxide	5	16	YOX – Yellow Oxide	18	24

### COLONIAL YELLOW

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	0	13	BLK – Black	0	45 ½
			OXR – Red Oxide	0	4 ½	OXR – Red Oxide	0	15 ¾
			WHT – White	3	60	WHT – White	13	50
			YOX – Yellow Oxide	2	25	YOX – Yellow Oxide	8	23 ½

### DEEP CHARCOAL

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	2	5 ½	BLK – Black	7	19 ¼
			OXR – Red Oxide	0	½	OXR – Red Oxide	0	1 ¾
			WHT – White	1	14	WHT – White	4	17
			YOX – Yellow Oxide	0	1	YOX – Yellow Oxide	0	3 ½

## UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING DARK TINT BASE ONLY – GLIDDEN

### DEEP DESERT SAND

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	0	49	BLK – Black	2	43 ½
			OXR – Red Oxide	0	18	OXR – Red Oxide	0	63
			WHT – White	7	16	WHT – White	25	24
			YOX – Yellow Oxide	0	46	YOX – Yellow Oxide	2	33

### FAWN

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	0	51	BLK – Black	2	50 ½
			OXR – Red Oxide	0	27 ½	OXR – Red Oxide	1	32 ¼
			WHT – White	5	32	WHT – White	19	16
			YOX – Yellow Oxide	1	28	YOX – Yellow Oxide	5	2

### GEORGETOWN GRAY

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	1	38	BLK – Black	5	37
			GRN – Green	0	20	GRN – Green	1	6
			WHT – White	6	32	WHT – White	22	48
			YOX – Yellow Oxide	0	4	YOX – Yellow Oxide	0	14

### HUNTER GREEN

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	3	20	BLK – Black	11	38
			GRN – Green	4	60	GRN – Green	17	18
			YOX – Yellow Oxide	3	48	YOX – Yellow Oxide	13	8

### MAHOGANY

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	3	8	BLK – Black	10	60
			OXR – Red Oxide	0	56	OXR – Red Oxide	3	4
			WHT – White	0	2	WHT – White	0	7
			YOX – Yellow Oxide	0	2	YOX – Yellow Oxide	0	7

## UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING DARK TINT BASE ONLY – GLIDDEN

### MANOR BROWN

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	2	62	BLK – Black	10	25
			OXR – Red Oxide	0	35	OXR – Red Oxide	1	58 ½
			WHT – White	0	26	WHT – White	1	27
			YOX – Yellow Oxide	0	55	YOX – Yellow Oxide	3	½

### NAVAJO WHITE

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	0	7	BLK – Black	0	24 ½
			OXR – Red Oxide	0	2	OXR – Red Oxide	0	7
			WHT – White	9	0	WHT – White	31	32
			YOX – Yellow Oxide	0	11	YOX – Yellow Oxide	0	38 ½

### NEW PILGRIM RED

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	2	37	BLK – Black	9	1 ½
			MAG – Magenta	0	60	MAG – Magenta	3	18
			OXR – Red Oxide	2	40	OXR – Red Oxide	9	12

### PARCHMENT

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	0	½	BLK – Black	0	1 ¾
			OXR – Red Oxide	0	1	OXR – Red Oxide	0	3 ½
			WHT – White	10	60	WHT – White	38	18
			YOX – Yellow Oxide	0	23	YOX – Yellow Oxide	1	16 ½

### PILGRIM BLUE

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	0	50	BLK – Black	2	47
			OXR – Red Oxide	0	16	OXR – Red Oxide	0	56
			TBL – Blue	1	12	TBL – Blue	4	10
			WHT – White	8	60	WHT – White	31	18

## UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING DARK TINT BASE ONLY – GLIDDEN

### PLATINUM

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	0	14	BLK – Black	0	49
			MAG – Magenta	0	6	MAG – Magenta	0	21
			WHT – White	10	40	WHT – White	37	12
			YOX – Yellow Oxide	0	22 ½	YOX – Yellow Oxide	1	14 ¾

### PRAIRE GOLD

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	0	4	BLK – Black	0	14
			WHT – White	7	60	WHT – White	27	50
			YOX – Yellow Oxide	1	10	YOX – Yellow Oxide	4	3

### SABLE

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	2	22	BLK – Black	8	13
			OXR – Red Oxide	3	56	OXR – Red Oxide	13	36
			YOX – Yellow Oxide	3	20	YOX – Yellow Oxide	11	38

### SAGE

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	0	48	BLK – Black	2	40
			GRN – Green	0	4	GRN – Green	0	14
			WHT – White	6	60	WHT – White	24	18
			YOX – Yellow Oxide	0	41	YOX – Yellow Oxide	2	15 ½

### SALEM TAN

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	0	16	BLK – Black	0	56
			OXR – Red Oxide	0	5	OXR – Red Oxide	0	17 ½
			WHT – White	11	48	WHT – White	41	8
			YOX – Yellow Oxide	0	58	YOX – Yellow Oxide	3	11

## UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING DARK TINT BASE ONLY – GLIDDEN

### SANDPIPER

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	0	24	BLK – Black	1	20
			OXR – Red Oxide	0	3 ½	OXR – Red Oxide	0	12 ¼
			WHT – White	7	36	WHT – White	26	30
			YOX – Yellow Oxide	0	36	YOX – Yellow Oxide	1	62

### SIERRA REDWOOD

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	1	0	BLK – Black	3	32
			OXR – Red Oxide	3	40	OXR – Red Oxide	12	44
			WHT – White	0	32	WHT – White	1	48

### STONEHEDGE

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	0	54	BLK – Black	2	61
			WHT – White	8	24	WHT – White	29	20
			YOX – Yellow Oxide	0	3	YOX – Yellow Oxide	0	10 ½

### WINTER WHITE

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			FFR – Fast Fast Red	0	½	FFR – Fast Fast Red	0	1 ¾
			WHT – White	10	32	WHT – White	36	48
			YOX – Yellow Oxide	0	3	YOX – Yellow Oxide	0	10 ½

### WHITE

176 DARK BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			WHT – White	12	2	WHT – White	42	7