

MARCH 2016

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING TINTING
FORMULATIONS USING TWO TINT BASES

MATCHING: UGL NUDECK WOOD AND CONCRETE RESTORATIVE
COATING COLORS

SYSTEM: **GLIDDEN** USING 64 INCREMENTS PER FLUID OUNCE

EXPLANATION OF NOTATION: The amount of colorant to be added is listed in two columns under the container size. The first column under OZ. lists the number(s) of full fluid ounces of colorant to add. If a zero appears in this column, no full fluid ounces are added, only fractions of a fluid ounce. The second column under the heading 64, lists the number(s) of fractions, 64ths, of a fluid ounce to add. If a zero appears in this column, no fractions are added, only full fluid ounces. If you have any questions on these formulas please contact UGL at 1-800-845-5227 before starting to tint.

IMPORTANT: Due to the differences between the pigment used in the ready-mixed colors and those used in tinting systems, minor variations are possible. For this reason, store-tinted colors should NOT be used to complete a job started with ready-mixed colors or vice versa.

UGL can only control colors of their own manufacture. Therefore, we CANNOT guarantee that the formulas as indicated will be exact matches. Colors as listed represent our matches to color chips. It is advisable to PRE-DETERMINE the formulas, as being used, will provide the proper color match. UGL cannot assume any responsibility for any changes in shade that may occur.

COLORANTS

BLK – Black
FFR – Fast Fast Red
LFY – Lemon Yellow
MAG – Magenta
OXR – Red Oxide
TBL – Phthalo Blue
GRN – Phthalo Green
WHT – White
YOX – Yellow Oxide

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING TWO TINT BASES – GLIDDEN

BEECHWOOD GRAY

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	2	41	BLK – Black	9	15 ½
			OXR – Red Oxide	0	22	OXR – Red Oxide	1	13
			YOX – Yellow Oxide	1	55	YOX – Yellow Oxide	6	32 ½

BEIGE

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	0	32	BLK – Black	1	48
			OXR – Red Oxide	0	24	OXR – Red Oxide	1	20
			YOX – Yellow Oxide	1	51	YOX – Yellow Oxide	6	18 ½

BLACK CANYON

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	11	48	BLK – Black	41	8
			GRN – Green	0	12	GRN – Green	0	42

BUTTERNUT

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	1	27	BLK – Black	4	62 ½
			OXR – Red Oxide	1	1	OXR – Red Oxide	3	35 ½
			WHT – White	3	18	WHT – White	11	31
			YOX – Yellow Oxide	3	14	YOX – Yellow Oxide	11	17

CALIFORNIA RUSTIC

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	0	56	BLK – Black	3	4
			OXR – Red Oxide	6	40	OXR – Red Oxide	23	12
			YOX – Yellow Oxide	5	36	YOX – Yellow Oxide	19	30

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING TWO TINT BASES – GLIDDEN

CAPE COD GRAY

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	1	6	BLK – Black	3	53
			OXR – Red Oxide	0	3	OXR – Red Oxide	0	10 ½
			YOX – Yellow Oxide	0	12	YOX – Yellow Oxide	0	42

CEDARWOOD

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	0	62	BLK – Black	3	25
			OXR – Red Oxide	1	34	OXR – Red Oxide	5	23
			YOX – Yellow Oxide	6	22	YOX – Yellow Oxide	22	13

CHOCOLATE

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	4	20	BLK – Black	15	6
			OXR – Red Oxide	2	56	OXR – Red Oxide	10	4
			WHT – White	0	3	WHT – White	0	10 ½
			YOX – Yellow Oxide	5	16	YOX – Yellow Oxide	18	24

COLONIAL YELLOW

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	0	13	BLK – Black	0	45 ½
			OXR – Red Oxide	0	4 ½	OXR – Red Oxide	0	15 ¾
			WHT – White	3	60	WHT – White	13	50
			YOX – Yellow Oxide	2	25	YOX – Yellow Oxide	8	23 ½

DEEP CHARCOAL

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	2	5 ½	BLK – Black	7	19 ¼
			OXR – Red Oxide	0	½	OXR – Red Oxide	0	1 ¾
			WHT – White	1	14	WHT – White	4	17
			YOX – Yellow Oxide	0	1	YOX – Yellow Oxide	0	3 ½

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING TWO TINT BASES – GLIDDEN

DEEP DESERT SAND

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	1	21	BLK – Black	4	41 ½
			OXR – Red Oxide	0	32	OXR – Red Oxide	1	48
			YOX – Yellow Oxide	1	33	YOX – Yellow Oxide	5	19 ½

FAWN

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	1	36 ½	BLK – Black	5	31 ¾
			OXR – Red Oxide	0	60	OXR – Red Oxide	3	18
			YOX – Yellow Oxide	3	32	YOX – Yellow Oxide	12	16

GEORGETOWN GRAY

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	3	24	BLK – Black	11	52
			GRN – Green	0	43	GRN – Green	2	22 ½
			YOX – Yellow Oxide	0	17	YOX – Yellow Oxide	0	59 ½

HUNTER GREEN

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	3	20	BLK – Black	11	38
			GRN – Green	4	60	GRN – Green	17	18
			YOX – Yellow Oxide	3	48	YOX – Yellow Oxide	13	8

MAHOGANY

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	3	8	BLK – Black	10	60
			OXR – Red Oxide	0	56	OXR – Red Oxide	3	4
			WHT – White	0	2	WHT – White	0	7
			YOX – Yellow Oxide	0	2	YOX – Yellow Oxide	0	7

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING TWO TINT BASES – GLIDDEN

MANOR BROWN

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	2	62	BLK – Black	10	25
			OXR – Red Oxide	0	35	OXR – Red Oxide	1	58 ½
			WHT – White	0	26	WHT – White	1	27
			YOX – Yellow Oxide	0	55	YOX – Yellow Oxide	3	½

NAVAJO WHITE

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	0	10	BLK – Black	0	35
			OXR – Red Oxide	0	3	OXR – Red Oxide	0	10 ½
			YOX – Yellow Oxide	0	20	YOX – Yellow Oxide	1	6

NEW PILGRIM RED

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	2	37	BLK – Black	9	1 ½
			MAG – Magenta	0	60	MAG – Magenta	3	18
			OXR – Red Oxide	2	40	OXR – Red Oxide	9	12

PARCHMENT

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	0	1	BLK – Black	0	3 ½
			OXR – Red Oxide	0	1 ¼	OXR – Red Oxide	0	4 ¾
			YOX – Yellow Oxide	0	32	YOX – Yellow Oxide	1	48

PILGRIM BLUE

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	2	10	BLK – Black	7	35
			OXR – Red Oxide	0	9	OXR – Red Oxide	0	31 ½
			TBL – Phthalo Blue	1	26	TBL – Phthalo Blue	4	59

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING TWO TINT BASES – GLIDDEN

PLATINUM

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	0	22	BLK – Black	1	13
			OXR – Red Oxide	0	4	OXR – Red Oxide	0	14
			YOX – Yellow Oxide	0	28	YOX – Yellow Oxide	1	34

PRAIRE GOLD

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	0	7 ½	BLK – Black	0	26 ¼
			LFY – Lemon Yellow	3	40	LFY – Lemon Yellow	12	44
			OXR – Red Oxide	0	13	OXR – Red Oxide	0	45 ½

SABLE

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	2	22	BLK – Black	8	13
			OXR – Red Oxide	3	56	OXR – Red Oxide	13	36
			YOX – Yellow Oxide	3	20	YOX – Yellow Oxide	11	38

SAGE

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	1	24	BLK – Black	4	52
			GRN – Green	0	6	GRN – Green	0	21
			YOX – Yellow Oxide	1	24	YOX – Yellow Oxide	4	52

SALEM TAN

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	0	18 ½	BLK – Black	1	¾
			OXR – Red Oxide	0	6	OXR – Red Oxide	0	21
			YOX – Yellow Oxide	1	13	YOX – Yellow Oxide	4	13 ½

UGL NUDECK WOOD AND CONCRETE RESTORATIVE COATING COLORS USING TWO TINT BASES – GLIDDEN

SANDPIPER

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	0	41	BLK – Black	2	15 ½
			OXR – Red Oxide	0	6	OXR – Red Oxide	0	21
			YOX – Yellow Oxide	1	8	YOX – Yellow Oxide	3	60

SIERRA REDWOOD

176 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	1	0	BLK – Black	3	32
			OXR – Red Oxide	3	40	OXR – Red Oxide	12	44
			WHT – White	0	32	WHT – White	1	48

STONEHEDGE

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	1	16	BLK – Black	4	24
			OXR – Red Oxide	0	1	OXR – Red Oxide	0	3 ½
			YOX – Yellow Oxide	0	5 ½	YOX – Yellow Oxide	0	19 ¼

WINTER WHITE

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			BLK – Black	0	½	BLK – Black	0	1 ¾
			FFR – Fast Fast Red	0	½	FFR – Fast Fast Red	0	1 ¾
			YOX – Yellow Oxide	0	5 ½	YOX – Yellow Oxide	0	19 ¼

WHITE

175 TINT BASE

Quart Formula			Gallon Formula			3.5 Gallon Formula		
Colorant	OZS.	64s	Colorant	OZS.	64s	Colorant	OZS.	64s
			WHT – White	0	43	WHT – White	2	22 ½